

Docket No.: 214400US2

OBLON
SPIVAK
MCCLELLAND
MAIER
REUSTADT
P.C.

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

ATTORNEYS AT LAW

RE: Application Serial No.: 09/964,462

Applicants: Yasuo YAMAGUCHI Filing Date: September 28, 2001

Patent No.: 6,888,243

For: SEMICONDUCTOR DEVICE

Group Art Unit: 2827

Examiner: CRUZ, LOURDES C.

Certificate
DEC 0 2 2005
of Correction

SIR:

Attached hereto for filing are the following papers:

Request for Certificate of Correction, PTO Form 1050 (in duplicate)

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK McCLELLAND,

MATER & NEUS/TADT, P.C.

Eckhard H. Kuesters

Registration No. 28,870

Customer Number

22850

(703) 413-3000 (phone) (703) 413-2220 (fax) HUSERISCMELIC.O.CQ14400USIPTO CVR LTR.DOC Edwin D. Garlepp

Registration No. 45,330

DEC 5 2005

DEC 5 2005

Docket No: 214400US2

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF:

GROUP ART UNIT: 2827

Yasuo YAMAGUCHI

ALLOWED: March 17, 2004

SERIAL NO: 09/964,462

EXAMINER: CRUZ, LOURDES C.

FILED: 09/28/01

PATENT NO. 6,888,243 B2

FOR: SEMICONDUCTOR DEVICE

ISSUED: May 3, 2005

REQUEST FOR CERTIFICATE OF CORRECTION

ATTN: CERTIFICATE OF CORRECTION BRANCH COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

SIR:

The following is a Request for a Certificate of Correction in Serial Number 09/964,462, now Patent Number 6,888,243 B2.

In accordance with the provisions of Rule 1.322 of the Rules of Practice, which implement 35 U.S.C.§254, the US Patent and Trademark Office is respectfully requested to issue a Certificate of Correction in the above-identified patent.

In light of the fact that the mismatched figures were the fault of the U.S. Patent and Trademark Office no fees are required. The correct figures 1-22 were filed with the application on September 28, 2001 and a corrected figure 21 was submitted by applicant's attorney on October 16, 2003. Figures 1-16 were somehow switched with the figures of a related application (10/208,993), a copy of the claims and figures were provided to the PTO with the filing of the IDS/1.56 on October 25, 2002. The errors are minor and their correction will not entail reexamination or constitute new matter. Applicant requests the correct figures 1-16 replace the incorrect figures 1-16. The requested corrections are shown on Form PTO 1050.

Respectfully submitted,

Customer Number

22850

(703) 413-3000 Fax No. (703) 413-2220 OBLON, SPIVAK, McCLELLAND,

MAIER & NEUSTADT, P.C.

Eckhard H. Kuesters Attorney of Record Registration No: 28,870

Edwing D. Garlepp Registration No. 45,330

CERTIFICATE OF CORRECTION

Page 1 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 1 with the following figure 1:

F / G. 1



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 2 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 2 with the following figure 2:

F / G. 2



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 3 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005

INVENTOR(S):


Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 3 with the following figure 3:

F / G. 3

102



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 03/02) No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 4 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 4 with the following figure 4:

F / G. 4



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 5 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 5 with the following figure 5:

F 1 G. 5



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 6 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 6 with the following figure 6:

F/G. 6



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 7 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 7 with the following figure 7:

F 1 G. 7



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 8 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 8 with the following figure 8:

F/G. 8



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 9 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 9 with the following figure 9:

F 1 G. 9



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page

DEC



CERTIFICATE OF CORRECTION

Page 10 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 10 with the following figure 10:

FIG. 10



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 11 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 11 with the following figure 11:

FIG. 11



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 12 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 12 with the following figure 12:

F/G. 12



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies

@ .30 per page



CERTIFICATE OF CORRECTION

Page 13 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 13 with the following figure 13:

F/G. 13



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 14 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 14 with the following figure 14:

F/G. 14



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 03/02) **占**〉

CERTIFICATE OF CORRECTION

Page 15 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 15 with the following figure 15:

FIG. 15



Mailing address of sender:

Patent No.

6,888,243

Customer Number

No. of add'l copies @ .30 per page

22850

CERTIFICATE OF CORRECTION

Page 16 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 16 with the following figure 16:

FIG. 16



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 1 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 1 with the following figure 1:

F / G. 1



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 2 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 2 with the following figure 2:

F / G. 2



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 3 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005

INVENTOR(S):


Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 3 with the following figure 3:

F / G. 3

102



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 4 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 4 with the following figure 4:

F | G. 4



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 5 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 5 with the following figure 5:

F / G. 5



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 6 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 6 with the following figure 6:

F/G. 6



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page

DEC



CERTIFICATE OF CORRECTION

Page 7 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 7 with the following figure 7:

F1G. 7



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 8 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 8 with the following figure 8:

F / G. 8



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 9 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 9 with the following figure 9:

F 1 G. 9



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 03/02)

口

CERTIFICATE OF CORRECTION

Page 10 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 10 with the following figure 10:

FIG. 10



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 11 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 11 with the following figure 11:

FIG. 11



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies @ .30 per page



CERTIFICATE OF CORRECTION

Page 12 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 12 with the following figure 12:

F/G. 12



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies

@ .30 per page



CERTIFICATE OF CORRECTION

Page 13 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 13 with the following figure 13:

F | G. 13



Mailing address of sender:

Patent No.

6,888,243

Customer Number

22850

No. of add'l copies

@ .30 per page



CERTIFICATE OF CORRECTION

Page 14 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 14 with the following figure 14:

F I G. 14



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 03/02)

口〉

CERTIFICATE OF CORRECTION

Page 15 of 16

PATENT NO::

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 15 with the following figure 15:

F/G. 15



Mailing address of sender:

Patent No.

6,888,243

Customer Number

No. of add'l copies @ .30 per page

22850

CERTIFICATE OF CORRECTION

Page 16 of 16

PATENT NO.:

6,888,243

DATED:

May 3, 2005


INVENTOR(S):

Yasuo YAMAGUCHI

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the drawings, please replace figure 16 with the following figure 16:

FIG. 16



Mailing address of sender:

Patent No.

6,888,243

Customer Number 22850

No. of add'l copies @ .30 per page

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 03/02)

口